

INDEX MAPS.

T. 9N, R. 5E. 2nd Mer.

Meanders 33

	7		7		6		6		6		5	
9	6	33	5	27	4	23	3	18	2	14	1	5
	32		32		27		22		18		14	
9	7	32	8	26	9	22	10	17	11	13	12	5
	31		31		26		22		17		13	
9	18	31	17	25	16	21	15	17	14	13	13	4
	30		30		25		20		17		12	
8	19	30	20	25	21	20	22	16	23	12	24	4
	29		29		24		20		16		11	
8	30	29	29	24	28	19	27	15	26	11	25	3
	28		28		23		19		15		10	
7	31	27	32	23	33	19	34	15	35	10	36	3
	1		1		1		2		2		2	

T. 10N, R. 5E. 2nd Mer.

	47		46		46		45		45		45	
49	6	73	5	66	4	62	3	57	2	53	1	44
	73		72		66		61		57		53	
48	7	72	8	65	9	61	10	57	11	52	12	44
	71		71		65		61		56		52	
48	18	70	17	65	16	60	15	56	14	52	13	44
	70		70		64		60		56		51	
48	19	69	20	64	21	59	22	55	23	51	24	43
	68		69		63		59		55		50	
47	30	68	29	63	28	59	27	54	26	50	25	43
	68		67		63		58		54		50	
47	31	67	32	62	33	58	34	54	35	49	36	43
	42		42		42		41		41		41	

(F) The figures on the lines refer to the page.

South Boundary.

Nest On S. boundary of Sec. 36

40.00 Set gr. Sec. post on the bank of Flat Rock river
course South, from which

a Sugar 12 in. diam. bran S 84 E 9 lks. dist. of

a Red bud 3 " " " N 28 W 7 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Beech 12 in. diam. bran N 48 W 20 lks. dist. of

a Sugar 10 " " " S 25 E 17 " "

Over rich land, timber Ash, Beech, Sugar & Spice

Nest On S. boundary of Sec. 35

40.00 Set gr. Sec. post, from which

a Cherry 10 in. diam. bran S 76 E 2 lks. dist. of

a Hackberry 6 " " " N 80 W 18 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 12 in. diam. bran S 83 W 26 lks. dist. of

a Ho. — " " " N 52 E 9 " "

Over rich land, timber Beech, Sugar, Ash &c. undg. & Spice &c.

Nest On S. boundary of Sec. 34

40.00 Set gr. Sec. post, from which

an Elm 24 in. diam. bran S 24 W 18 lks. dist. of

a Beech 14 " " " N 16 W 16 " "

70.00 Set meander post on left bank of river, from which

a Sycamore 12 in. diam. bran S 55 E 18 lks. dist

no other tree.

80.00 Set post Cor. to Sec. 33 & 34, on the same side of
the River West side of bend, from which

a Sugar 12 in. diam. bran S 41 W 18 lks. dist. of

an Ash 18 " " " S 63 W 24 " "

(description of land &c. omitted)

Town R5 E. 2^d. Mer. Indiana

West On S. boundary of Sec. 33

10.00 Set meander post on Left bank of Driftwood River 489 lks. wide, from which
a Sycamore 12 in. dia: bray N65 E 2 lks. dist. of
a Maple 6 " " " N65 W 3 " "

14.89 Set meander post on Right bank of River, from which
a Beech 4 in. dia: bray N11 E 9 lks. dist. of
a Do. 10 " " " N33 W 6 " "

28.89 a Creek 30 lks. wide Course S. E.

40.00 Set q: Sec. post, from which
a Hickory 8 in. dia: bray N75 W 22 lks. dist. of
a Poplar 14 " " " N66 E 34 " "

66.60 a Creek 30 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 31 & 33, from which
a Beech 8 in. dia: bray - 25 W 13 lks. dist. of
a Do. 11 " " " N35 E 16 " "
(description of land &c. Omitted)

West On S. boundary of Sec 32

40.00 Set q: Sec. post, from which
a Hickory 10 in. dia: bray N77 W 4 lks. dist. of
a Do. 13 " " " N41 E 9 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Poplar 24 in. dia: bray N56 W 9 lks. dist. of
a Beech 8 " " " N71 E 8 " "
Over good farming land timber Beech, Poplar &c.

West On S. boundary of Sec. 31

40.00 Set q: Sec. post from which
a Beech 12 in. dia: bray N75 E 31 lks. dist. of
an Oak 20 " " " N75 W 13 " "

80.00 Intersected the Range line 83 lks. S. of post
Set a post Cor. to Township N. 9, 10 North,

T10N-R5E.2^d. Mer. Indiana

Range N^o 4 & 5 East, from which
 a Beech 12 in. dia. bray N28E18 lks. dist. of
 a Do. 8 " " " N21E18 " "
 Over good farming land, timb. Beech, Oak, Poplar &c.

East Boundary.

var. 6.45. E.

North On E. boundary of Sec. 36

2.52 a Sugar 14 in. dia.

40.00 Set q^r. Sec. post, from which
 a Dogwood 7 in. dia. bray S2E15 lks. dist. of
 a Sugar 8 " " " N57W19 " "

54.02 a W. Oak 50 " "

80.00 Set post Cor. to Sec. 25 of 36, from which
 a B. Walnut 7 in. dia. bray N10E13 lks. dist. of
 an Ash 9 " " " N31E19 " "
 Over rich land, timber Sugar, Ash &c. undg. ^WSpice

North On E. boundary of Sec. 25.

18.50 to Flat rock river 200 lks. wide E. S. W.

40.00 Set q^r. Sec. post, from which
 a Poplar 8 in. dia. bray S34W19 lks. dist. of
 a Hackberry 12 " " " N59W16 " "

44.50 a Hackberry 14 " "

80.00 Set post Cor. to Sec. 24 & 25, from which
 a Sugar 16 in. dia. bray S79E17 lks. dist. of
 a B. Walnut 16 " " " N73W19 " "
 Over rich land, timber Walnut, Hackberry &c.
 undg. growth Spice &c

North On E. boundary of Sec. 24.

22.80 an Ash 14 in. dia.

40.00 Set q^r. Sec. post, from which
 a Haw 8 in. dia. bray S7W15 lks. dist. of

Town R5 E. T^h. Mer. Indiana

an Oak 18 in. dia. bray N55 W 12 lks. dist. of
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Walnut 7 in. dia. bray S 71 W 7 lks. dist. of
 an Ash 7 " " " N31 E 8 " "
 Over good farming land, timber Oak, Sugar &c.

North On E. boundary of Sec. 13.

22.86 a W. Oak 20 in. dia.

40.00 Set q^r. Sec. post, from which
 a Dogwood 3 in. dia. bray N30 E 3 lks. dist. of
 a Do 6 " " " S 81 W 23 " "

65.71 a Hickory 18 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
 a Sugar 14 in. dia. bray South 35 lks. dist. of
 a Beech 18 " " " N10 W 23 " "
 Over good farming land, timber Oak &c.

North On E. boundary of Sec. 12.

0.50 a Beech 14 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 8 in. dia. bray N43 E 19 lks. dist. of
 an Ash 5 " " " N33 E 4 " "

47.05 a Spanish Oak 40 in. dia.

80.00 Set post Cor. to Sec. 1 of 12, from which
 a Beech 16 in. dia. bray N15 E 35 lks. dist. of
 a Do. 10 " " " N29 E 10 " "
 Over good farming land, timber Beech, Oak &c.

North On E. boundary of Sec. 1.

10.48 a Beech 20 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 20 in. dia. bray N19 E 30 lks. dist. of
 a Do. 10 " " " S49 W 28 " "

T10N R5E. 2^d. Mer. Indiana

40.75 a W. Oak 48 in. dia.

81.73 to Township Corner as established on the
E & W. line. Over good farming land
June 16th 1819

North Boundary.

West On S. boundary of Sec. 36, T11N, R5E.
15.47 an Elm 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bray N 77° W 14 lks. dist. of
a No. 14 " " " N 69° E 6 " "

48.42 a Poplar 48 " "

80.00 Set post cor. to Sec. 35 & 36, T11N, R5E, from which
a Beech 21 in. dia. bray North 4 lks. dist. of
a No 10 " " " N 15° E 26 " "
Level 2^d. rate land, timber Beech, Sugar
Ash, Oak, Elm &c. undug.

West On S. boundary of Sec. 35, T11N, R5E.

40.00 Set of Sec. post, from which
a Sugar 18 in. dia. bray N 71° W 10 lks. dist. of
an Elm 10 " " " N 78° E 35 " "

44.79 a Walnut 27 " "

80.00 Set post cor. to Sec. 34 & 35, T11N, R5E, from which
a Sugar 9 in. dia. bray N 46° W 9 lks. dist. of
a Beech 7 " " " N 47° E 12 " "
Level 1st. rate land timber same as on last mile

West On S. boundary of Sec. 34, T11N, R5E.

14.09 a Walnut 24 in. dia.

40.00 Set of Sec. post, from which
an Ash 10 in. dia. bray N 81° W 13 lks. dist. of
a Sugar 9 " " " N 24° W 13 " "

T10 N. R5 E. 2^d. Mer. Indiana

47.52 a Sugar 16 m. dia.

80.00 let post Cor. to Sec. 33 & 34, T10 N. R5 E, from which
a Hickory 4 m. dia. bear S66 W 9 lks. dist. of
a Hackberry 8 " " " N73 E 24 " "
Level land timber Sugar, Ash, Walnut,
Hickory &c. undergth. Spice Soil good

West On S. boundary of Sec. 33, T10 N. R5 E.

26.65 a Sugar 20 m. dia.

40.00 let q^r. Sec. post, from which
a Hackberry 6 m. dia. bear S76 W 10 lks. dist. of
a No. 12 " " " N86 E 16 " "

43.52 a No 30 " "

56.25 to low ground

80.00 let post Cor. to Sec. 32 & 33, T10 N. R5 E, from which
a Water Beech 6 m. dia. bear N33 E 6 lks. dist. of
an Oak 36 " " " N12 W 11 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T10 N. R5 E.

10.00 to East Fork of White River running South

27.20 a Sugar 21 m. dia.

40.00 let q^r. Sec. post, from which
a Sugar 14 m. dia. bear N26 E 8 lks. dist. of
a Beech 8 " " " N25 E 18 " "

43.25 a Branch 15 lks. wide course S. E.

63.45 an Ash 12 m. dia.

65.75 to high land

80.00 let post Cor. to Sec. 31 & 32, T10 N. R5 E, from which
a Beech 5 m. dia. bear S41 W 5 lks. dist. of
a No. 5 " " " N12 W 6 " "
1st 1/2 mile land 2^d. rate rich — last 1/2 mile
2^d. rate timber same as on last mile

T10 N. R5 E. 2^d Mer. Indiana

47

Nest On S. boundary of Sec. 31, T10 N. R5 E.
25.62 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 21 in. dia. bran N 45° W 6 lks. dist. of
an Ash 12 " " " S 36° E 24 " "

66.75 a Brook 20 lks. wide Course S. W

77.65 Town Corner

(Description of land &c. Omitted)

Nest Boundary var. 6° 30' E.
North On E. boundary of Sec. 36, T10 N. R4 E.
1.50 a Beech 12 in. dia.

37.87 a Brook 6 lks. wide Course E.

40.00 Set q. Sec. post, from which
a Beech 13 in. dia. bran N 21° W 7 lks. dist. of
a Do. 14 " " " S 63° E 24 " "

80.00 Set post Cor. to Sec. 25 & 36, T10 N. R4 E, from which
a Beech 8 in. dia. bran S 53° E 23 lks. dist. of
a Do. 20 " " " N 45° W 20 " "
Over rolling land, timber Oak, Beech &c

North On E. boundary of Sec. 25, T10 N. R4 E.

6.50 a Hickory 24 in. dia.

30.77 a Brook 4 lks. wide Course E.

40.00 Set q. Sec. post, from which
a Cassafray 10 in. dia. bran S 30° W 35 lks. dist. of
a Beech 8 " " " S 40° E 94 " "
this post stands in a brook 4 lks. wide C. S. E.

55.50 a Brook 8 lks. wide Course E.

73.56 a Poplar 30 in. dia.

80.00 Set post Cor. to Sec. 24 & 25, T10 N. R4 E. from which
a Beech 12 in. dia. bran S 12° W 40 lks. dist. of
a B. Oak 30 " " " S 70° E — " "

T10N R5E 2^d Mer. Indiana

(description of land &c. Omitted)

North On E. boundary of Sec. 24, T10N, R4E.

18.74 a Sugar 10 m. dia.

22.00 a Brook 10 lks. wide Course E.

40.00 Set q. Sec. post, from which
an Ash 4 m. dia. bray N16W 16 lks. dist. of
a do. 7 " " " N69W 18 " "

59.95 a B. Oak 24 " "

70.62 a Brook 2 lks. wide Course E.

80.00 Set post Cor. to Sec. 13 & 24, T10N, R4E, from which
a Hickory 13 m. dia. bray N30E 9 lks. dist. of
a do. 8 " " " S22W 9 " "

Over rolling land, timb. Beech, Oak, Hickory &c.

North On E. boundary of Sec. 13, T10N, R4E.

20.50 a Brook 3 lks. wide Course N.E.

40.00 Set q. Sec. post, from which
a W. Oak 14 m. dia. bray D20W 17 lks. dist. of
a Beech 12 " " " N50W 17 " "

45.74 a Hickory 14 " "

75.59 a Brook 4 lks. wide Course E.

80.00 Set post Cor. to Sec. 12 & 13, T10N, R4E, from which
a Dogwood 5 m. dia. bray S50E 7 lks. dist. of
a Beech 6 " " " N17W 11 " "

Over broken land timb. Oak, Beech, Hickory &c

North On E. boundary of Sec. 12, T10N, R4E

15.25 a Beech 20 m. dia.

19.75 a Creek 50 lks. wide Course E.

21.18 a do 50 " " " E.

40.00 Set q. Sec. post, from which
a Beech 9 m. dia. bray S24W 10 lks. dist. of

49

T10 N. R5 E. 2^d. Mer. Indiana

at Beech 6 mi. dia. - bran N58 E 13 lbr. dist.
 50.18 an Ash 30 " "
 80.00 Let post Cor. to Sec. 1, 12, T10 N. R4 E. from which
 at Beech 8 mi. dia. - bran N59 W 16 lbr. dist. of
 a Lynn 20 " " " South 33 " "
 Over good farming land, timber Ash,
 Beech, Oak &c. underg^g. Spruce

North On E. boundary of Sec. 1, T10 N. R4 E
 15.12 a P. Walnut 36 mi. dia.
 40.00 Let q. Sec. post, from which
 a Beech 20 mi. dia. - bran S2 E 16 lbr. dist. of
 a Do. 20 " " " N2 W 23 " "
 82.50 Let post Cor. to Township, N. 10, 11 North,
 Range, N. 4, 5 E. from which
 a Hickory 30 mi. dia. - bran N30 W 24 lbr. dist.
 a Beech 21 " " " N48 E 26 " "
 Over Rich land, timber Poplar, Beech, Walnut
 Sugar &c. underg^g. Spruce &c. June 18th. 1879
 Surveyed by John McDonald, D.S.

Subdivision.

North Between Sec. 35 of 36

13.64 a Sugar tree 12 mi. dia.

40.00 Let q. Sec. post, from which

a Sugar tree 4 mi. dia. - bran N69 W 9 lbr. dist. of

a Beech 5 " " " N76 E 21 " "

51.33 a Mulberry 8 " "

80.00 Let post Cor. to Sec. 25, 26, 35 of 36, from which

an Ash 30 mi. dia. - bran N28 E 4 lbr. dist. of

a Sugar tree 20 " " " N80 E 13 " "

Land lived 1st 1/2 mile 1st rate, timber Sugar tree

Walnut & Beech 2nd 1/2 mile 2nd rate timber

S.W. 1/4 Sec. 25, Mer. Indiana

Oak, Ash, Elm, Beech, undg.th Spruce &cEast On Rand^m. between Sec. 25 & 26

55.07 a stream 50 lks. wide Course S.

66.50 a stream 150 lks. wide Course E. (Flat Rock.) (S.W.)

79.10 Intersected E. boundary 6 lks. S. of post
Land level 2nd rate timber Beech, Sugar, ash,
Oak, undg.th Spruce & willow

West Corrected Between Sec. 25 & 26

29.08 a Blue Ash 6 in. dia.

39.55 Set q. Sec. post at average dist. from which
a Buckeye 13 in. dia. beam 18 E. 3 lks. dist. of
a Hickory 25 " " " N 18 91 25 " "

40.63 a Hickory 18 " "

79.10 to Sec. Corner.

North Between Sec. 25 & 26

17.88 a Sugar tree 28 in. dia.

40.00 Set q. Sec. post, from which
an Oak 15 in. dia. beam 7 lks. dist. of
a Walnut 24 " " " N 11 1/2 W 25 " "

58.75 a W. Oak 25 " "

80.00 Set post cor. to Sec. 23, 24, 25 & 26, from which
a Gum tree 8 in. dia. beam 34 E. 8 lks. dist. of
a W. Oak 12 " " " N 12 1/2 W 24 " "Land level 2nd rate, timber Oak, Walnut, Ash
Gum &c. undg.th Dogwood ash & SpruceEast On Rand^m. between Sec. 24 & 25

40.00 Set temp. q. Sec. post

79.00 Intersected the E. boundary 12 lks. N. of post
Land level 2nd rate, timber Walnut, Sugar tree

51

S.W. R5 E. 2^d. Mer. Indiana

ash, Beech, undergth. Spruce, birch &c.

West Corrected between Sec. 24 & 25

- 4.12 a Sugar tree 24 in. dia.
 39.50 Set of Sec. post at average dist. from which
 a W. Oak 18 in. dia. bran N 12 E 14 lks. dist. of
 an Oak 10 " " " N 3 1/2 E 20 " "
 41.64 a Sugar tree 6 in. dia.
 79.00 to Sec. Corner
-

North Between Sec. 23 & 24

- 16.88 a W. Oak 6 in. dia.
 40.00 Set of Sec. post, from which
 a Water Beech 3 in. dia. bran N 55 W 12 lks. dist. of
 a Hickory 14 " " " S 40 E 18 " "
 79.26 an Ash tree 20 " "
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar tree 30 in. dia. bran N 15 E 7 lks. dist. of
 a Water Beech 5 " " " N 67 W 27 " "
 Land level 2^d. rate — 1st. 1/2 Marsh, timber Oak,
 Hickory &c. last 1/2 Ash, Oak, Sugar tree, Walnut
 undergth. Spruce, Hogwood, Ash &c.
-

East On Rand. between Sec. 13 & 24

- 40.00 Set temp. of Sec. post
 80.10 Intersected the E. boundary 26 lks. N. of post
 Land level good 2^d. rate, timber Oak, Walnut
 Hickory, undergth. Ash &c. Sept. 3^d. 1819
-

West Corrected between Sec. 13 & 24

- 1.97 a W. Oak 16 in. dia.
 40.05 Set of Sec. post at average dist. from which
 a Coffeenut tree 6 in. dia. bran S 37 W 7 lks. dist. of

N. N. R. 5 E. 2^d. Mer. Indiana

a Coffeenut tree 6 in. diam. bear S 57 E 7 lks. dist.
 43.75 a W. Oak 7 in. diam.
 80.10 to Sec. Corner,

North Between Sec. 13 & 14

15.46 Mulberry tree 12 in. diam.
 40.00 Set of Sec. post, from which
 a Sugar tree 15 in. diam. bear S 6 E 34 lks. dist. of
 a Mulberry 18 " " " N 7 E 37 " "
 a White Oak 36 " "
 80.00 Set post Corner to Sec. 11, 12, 13 & 14, from which
 a Sugar tree 18 in. diam. bear N 26 E 35 lks. dist. of
 a P. Gum 30 " " " S 19 N 19 " "
 Land lived 1st. rate, timber Sugar, Walnut, ash,
 undergth. Spice &c.

East On Rand^m. between Sec. 12 & 13

33.00 a Pond 150 lks. wide
 69.55 a Brook 30 lks. wide Cr. S. W.
 81.70 Intersected the E. boundary 38 lks. S. of post
 Land 1st. 1/2 mile 1st. rate lived, timber Sugar tree
 Walnut - 2nd. 1/2 mile 2nd. rate lived, timber Beech
 Poplar, Oak, ash, undergth. Spice &c.

West Connected between Sec. 12 & 13

6.70 a Beech 20 in. diam.
 40.85 Set of Sec. post at average dist. from which
 a Red Oak 18 in. diam. bear S 1 1/2 E 20 lks. dist. of
 a Sugar 16 " " " N 39 1/2 W 19 " "
 44.80 a P. Gum 24 " "
 81.70 to Sec. Corner

North Between Sec. 11 & 12

- 21.14 a Beech 15 m. diam.
 40.00 Let gr. Sec. post, from which
 an Ash 26 m. diam. bray N 75 E 15 lks. dist. of
 a Beech 12 " " " S 81 W 7 " "
 48.62 a Brook 25 lks. wide Course N.W.
 80.00 Let post cor. to Sec. 1, 2, 11 & 12, from which
 a Sugar 8 m. diam. bray S 30 W 11 lks. dist. of
 an Ash 6 " " " North 7 " "
 Land level 2^d rate, timber Beech, Ash, Oak,
 undngth. Spruce &c.
-

- East On Rand^m between Sec. 1 & 12
 40.00 Let temp^y. gr. Sec. post
 82.00 Intersected the N & S line 17 lks. N. of post
 Land 2^d rate, timber Beech, Oak, Poplar,
 Sugar tree, undngth. Spruce
-

- West Corrected between Sec. 1 & 12
 11.87 a Sugar 15 m. diam.
 41.00 Let gr. Sec. post at average dist. from which
 an Ash 16 m. diam. bray N 62 E 6 lks. dist. of
 a Beech 6 " " " S 6 W 2 " "
 49.85 a Hickory 24 " "
 82.00 to Sec. Corner.
-

- North Between Sec. 1 & 2
 12.50 a Beech 20 m. diam.
 40.00 Let gr. Sec. post from which
 a Beech 14 m. diam. bray S 48 E 20 lks. dist. of
 a Do. 6 " " " S 53 W 14 " "
 58.75 an Elm 20 " "
 81.23 Intersected the N. boundary 120 lks. N. of post
 Let post cor. to Sec. 1 & 2, from which

M. N. R. S. E. I. Mer. Indiana

an Ash 15 in. diam. bray N 43° W 7 1/2 hrs. dist. of
 a Sugar 10 " " " N 26° E 4 1/2 " "
 This mile level Ist rate, timber Beech, Sugar,
 Poplar &c. undergth Spruce &c.

North Between Secs. 34 & 35

18.50 a Beech 20 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 10 in. diam. bray N 58° W 30 hrs. dist. of
 a Do. 15 " " " N 55° E 29 " "
 67.50 a Hickory 30 " "
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 8 in. diam. bray N 13° E 6 hrs. dist. of
 an Ash 20 " " " N 35° W 35 " "
 This mile level Ist rate, timber Oak, Beech
 Poplar, undergth Spruce.

East On Rand^m. between Secs. 26 & 35

40.00 Set temp^y of Sec. post
 79.29 Intersected the N & S. line at the post
 This mile level Ist rate, timber Poplar, Beech,
 Sugar & Oak, undergth Spruce

West Corrected between Secs. 26 & 35

39.64 Set of Sec. post at average dist. from which
 an Ash 4 in. diam. bray N 61° E 2 1/2 hrs. dist. of
 a Hickory 3 " " " N 41° W 16 " "
 79.29 to Sec. Corner

North Between Secs. 26 & 27

29.85 a Poplar tree 24 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 5 in. diam. bray N 65° E 1 1/2 hrs. dist. of

N. N. R. 5 E. 2^d. Mer. Indiana

55

a Beech 10 m. dia. bray N 34 W 2 lth. dist. of
 51.90 a Walnut 20 " "
 80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which
 a B. Oak 20 m. dia. bray N 65 W 29 lth. dist. of
 a Red Ash 15 " " " N 62 E 24 " "
 This mile level 2^d rate, timber Beech, Oak,
 Poplar, undngth Spruce &c.

East On Rand^m. between Sec. 23 & 26
 40.00 Let temp^y. q. Sec. post
 81.19 Intersected the N of S. line 46 lth. N. of post
 This mile level 2^d rate land, timber Ash, Oak,
 Poplar &c. undngth Spruce

West Corrected between Sec. 23 & 26
 4.71 a W. Oak 20 m. dia.
 40.59 Let q. Sec. post at average dist. from which
 a Mulberry 4 m. dia. bray N 21 E 30 lth. dist. of
 a Sugar tree 18 " " " N 35 W 4 " "
 48.12 a Hickory 20 " "
 81.19 to Sec. Corner.

North Between Sec. 22 & 23
 29.80 a Hickory 20 m. dia.
 40.00 Let q. Sec. post from which
 a Beech 20 m. dia. bray N 47 E 28 lth. dist. of
 a Gum tree 24 " " " N 10 W 32 " "
 49.66 a Poplar 36 " "
 80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which
 a Mulberry 14 m. dia. bray N 87 E 45 lth. dist. of
 an Elm 14 " " " N 87 W 45 " "
 This mile 2^d rate Sugar & Oak, undgth Spruce &c.

S 10 N. R 5 E. T^h. Mer. Indiana

East On Rand^m. between Sec. 14 & 23

40.00 Set temp^y. g^r. Sec. post

81.10 Intersected the N of S. line 117 th. N. of post
This mile level & rich, timber Ash, Walnut &
Sugar, undugth. Spruce

West Corrected between Sec. 14 & 23

9.40 a Hickory 14 m. dist. from

40.55 Set g^r. Sec. post at average dist. from which
an Oak 20 m. dist. from, S 30° W 26 th. dist. of
an Ash 7 " " " N 19° W 13 " "

48.22 a Hickory 15 " "

81.10 to Sec. Corner

North (Between Sec. 14 & 15

28.30 a Walnut 20 m. dist.

40.00 Set g^r. Sec. post, from which
a Sugar 10 m. dist. from East g^r. dist. of
a Do. 18 " " " S 39° W 9 " "

59.75 an Ash 20 " "

80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
an Oak 18 m. dist. from, S 50° E 23 th. dist. of
a Hickory 7 " " " S 83° W 8 " "
This mile level & rich, timber Oak, Sugar,
Walnut, undugth. Spruce.

East On Rand^m. between Sec. 11 & 14

40.00 Set temp^y. g^r. Sec. post

79.40 Intersected the N of S. line 140 th. N. of post
This mile level & rich, timber Walnut, Ash &
Sugar, undugth. Spruce & in abundance

West Corrected between Sec. 11 & 14

- 12.38 a W. Oak 20 in. dia.
 39.70 set g. sec. post at average dist. from which
 an Ash 20 in. dia. bears N 59° W 20 in. dia. of
 an Oak 8 " " " S 20° E 17 " "
 48.06 a Blue Ash 20 in. dia.
 79.40 to Sec. Corner

North Between Sec. 10 & 11.

- 19.27 a Sugar 15 in. dia.
 40.00 set g. sec. post from which
 a Beech 9 in. dia. bears N 16° E 18 in. dia. 8
 a Sugar 10 " " " S 45° W 39 " "
 80.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a Beech 8 in. dia. bears S 75° W 2 in. dia. 8
 a Do 18 " " " N 86° E 33 " "
 This mile level & State, timber Ash, Poplar,
 & Beech, Spice under growth &c.

East on Random between Sec. 2 & 11

- 40.00 set temp. g. sec. post
 79.50 Intersect N & S line 138 in. N. of post -
 This mile level & State, timber Ash, Beech & Oak
 Spice Upr. &c.

West Corrected between Sec. 2 & 11

- 9.86 an Elm 24 in. dia
 39.75 set g. sec. post at aver. dist. from which
 a Beech 18 in. dia. bears N 74° W 20 in. dia. 8
 a Do 4 " " " S 18° W 17 " "
 44.33 a Do 20 " "
 79.50 to Sec. cor.

North between Sec. 2 & 3

T. 10 N., R. 5 E. 2^d Mer. Indiana

17.90 an Ash 8 in. dia.

40.00 set g. sec. post from which

a W. Oak 20 in. dia. bears S 69° 23' W. dist. .8

a Sugar 9 " " " N 88° E 33 " "

57.00 a Walnut 22 " "

78.71 Intersect N. Boundary at post -

Land level 1st rate, timber Sugar, Walnut, Ash,
Oak & Upr. Spice &

North between Sec. 33 & 34

10.00 a Stream 250 W. wide course S W (Drift wood
fork of White River)

24.78 a Sugar 20 in. dia.

40.00 set g. sec. post from which

an Elm 20 in. dia. bears N 17° W 11 W. dist. .8

a Beech 15 " " " S 60° E 26 " "

64.56 an Ash 18 " "

77.00 a Stream 250 W. wide course S E

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Sugar 30 in. dia. bears N 31° W 31 W. dist. .8

a Mulberry 10 " " " S 52° W 30 " "

Land level 2^d rate, timber Ash, Beech & Sugar
& Spice Upr. &

East on Random between Sec. 27 & 34

36.00 enter Swamp

48.00 leave " "

80.00 Intersect N. & S. line 131 W. N. of post -

Land level, timber Beech, Oak, Sugar & under
growth Spice &

West Corrected between Sec. 27 & 34

12.89 a Beech 18 in. dia.

T. 10 N., R. 5 E. 2. Mer. Indiana

59

40.00 set g/ sec. post at aver. dist. from which
a Beech 4 in. diam bears N 54 E 19 lbs. dist. 8
a B. Oak 48 " " S 10 W 14 " "
80.00 to sec. cor.

North between Secs. 27 & 28

11.00 a Beech 16 in. diam.
40.00 set g/ sec. post from which
a Beech 18 in. diam bears S 9 E 24 lbs. dist. 8
a Do 15 " " " N 11 E 22 " "
59.50 a Do 30 " "
80.00 set post cor. of sec. 21, 22, 27 & 28 from which
a Blue Ash 10 in. diam bears N 9 1/2 W 19 lbs. dist. 8
a Beech 22 " " " S 45 E 20 " "
Land good 2-rate level, Timber Beech, Sugar,
Ash; Upr. Spice &c.

East on Random between Secs. 22 & 27

40.00 set temp. g/ sec. post
79.80 Intersect N & S. line 14 lbs. N. of post -
Land hilly 2-rate, timber Beech, Oak & Poplar,
Upr. Spice &c.

West Corrected between Secs. 22 & 27

10.79 a Beech 28 in. diam.
39.90 set g/ sec. post at aver. dist. from which
a Beech 12 in. diam bears S 23 E 10 lbs. dist. 8
a Do 14 " " " N 2 W 29 " "
50.40 a Do 14 " "
79.80 to sec. cor.

North between Secs. 21 & 22

12.54 a Beech 18 in. diam.

T. 10 N., R. 5 E. 2. Mer. Indiana

21.50 a Brook 10 lbs. wide course W

40.00 set g/sec. post from which

a Beech 4 in. dia. diam N 44 E 26 lbs. dist. 8

a Elm 16 " " " N 58 W 19 " "

57.46 a Do 20 " "

80.00 set post cor. of sect. 15, 16, 21 & 22 from which

a Sugar 9 in. dia. diam N 34 W 27 lbs. dist. 8

an Elm 15 " " " S 60 E 20 " "

Land hilly & rate, timber Beech, Poplar, Ash,
Oak & Spice & Pawpaw &c.

East on Random between Sect. 15 & 22

40.00 set temp. g/sec. post

80.25 Intertect. N & S. line 78 lbs. N. of post -

Land level & rate, timber Sugar, Beech, Ash,
Hackberry, Upr. Spice &c.

West Connected between Sect. 15 & 22

6.30 a Sugar 16 in. dia.

40.12 1/2 set g/sec. post at aver. dist. from which

an Elm 16 in. dia. diam S 61 E 23 lbs. dist. 8

a Beech 16 " " " West 18 " "

52.33 a Do 18 " "

80.25 to sec. cor.

North between Sect. 15 & 16

17.75 a Pond 100 lbs. wide

18.20 an Ash 10 in. dia.

28.30 a Bayou 50 lbs. wide

40.00 set g/sec. post from which

a Hawthorn 4 in. dia. diam N 40 E 17 lbs. dist. 8

a Buckeye 10 " " " S 16 W 3 " "

43.36 a Bayou 100 lbs. wide

T. 10 N., R. 5 E. 2. Mer. Indiana

56.75 a Stream 40 lbs. wide corner NW

60.20 a W. Oak 10 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a (Bearings & Description of Land &c. omitted)

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

80.60 Intersect N & S. line 217 lbs. S. of post -

Land level 1st rate, timber Sugar, Walnut, Ash,
Upr. Spice

West Connected between Sec. 10 & 15

8.11 a Wild Cherry 7 in. dia.

40.30 set g. sec. post at aver. dist. from which

a Spanish Oak 18 in. dia. bears S 74° W 7 lbs. dist. 18

a Hickory 14 " " " N 7° E 6 " "

45.68 a W. Oak 28 " "

80.60 to sec. cor.

North between Sec. 9 & 10

10.50 a Blue Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. bears S 64° E 40 lbs. dist. 18

a Do 8 " " " N 9° W 15 " "

57.74 a Sugar 8 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Sugar 4 in. dia. bears N 5½° W 17 lbs. dist. 18

a Do 6 " " " N 18° W 20 " "

Land level 1st rate, timber Sugar, Ash, Walnut
& Upr. Spice &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

T. 10 N., R. 5 E. 2. Mer. Indiana

79.59 Intersect N. G. line 168 lbs. N. of port -
 Land level 1st rate, timber Sugar, Walnut,
 Beech, Hickory

West Cornered between Sec. 3 & 10

5.98 a Beech 10 in. dia.

39.79 let g. sec. port at aver. dist. from which
 an Elm 8 in. dia. bears S 31 E 32 lbs. dist. 8
 a Spruce 12 " " " N 67 E 32 " "

41.60 an Elm 8 " "

79.59 to sec. cor.

North between Sec. 3 & 4

10.33 a Blue Ash 20 in. dia.

40.00 let g. sec. port from which
 a Hackberry 36 in. dia. bears S 64 W 8 lbs. dist. 8
 a Hickory 12 " " " N 64 E 5 " "

46.22 a Sugar 18 " "

80.00 Intersect N. Boundary 66 lbs. E. of port -
 let port at intersection cr. of Sec. 3 & 4 from which
 a Water Beech 6 in. dia. bears N 82 E 27 lbs. dist. 8
 a Sugar 15 " " " N 67 W 5 " "
 Land 1st rate, timber Ash, Walnut, Sugar &
 Upr. Spice & September 7. 1819

North between Sec. 32 & 33

16.27 a Hickory 20 in. dia.

20.00 a Brook 10 lbs. wide course E

40.00 let g. sec. port from which
 a Hickory 9 in. dia. bears N 87 E 15 lbs. dist. 8
 a Beech 5 " " " S 25 W 5 " "

80.00 let port cr. of Sec. 28, 29, 32 & 33 from which
 a Poplar 36 in. dia. bears S 76 E 47 lbs. dist. 8

T. 10 N., R. 5 E. 2. Mer. Indiana

a Beech 18 in. diameter N 28 W 21 lbs. dist.
This mile hilly 3. rate, timber Beech, Oak,
Poplar & Spice Upr. &

East in Random between Sec. 28 & 33

50.00 a Brook 10 lbs. wide course E

40.00 set temp. g/sec. port

75.50 a Stream 400 lbs. wide course S

81.00 Intersect N. S. line at port -

This mile 3. rate, timber Oak, Beech & Ash
Upr. Spice &

West marked between Sec. 28 & 33

40.50 set g/sec. port at aver. dist. from which

a Beech 7 in. diameter S 7 E 11 lbs. dist. &

a Lr 6 " " " N 70 W 8 " "

51.00 to sec. cor.

North between Sec. 28 & 29

32.40 a W. Oak 20 in. dia.

40.00 set g/sec. port from which

a Hickory 9 in. diameter N 64 W 41 lbs. dist. &

a W. Oak 30 " " " S 76 E 40 " "

58.12 a Beech 20 " "

80.00 set port cor. of Sec. 20, 21, 28 & 29 from which

a Beech 7 in. diameter N 72 E 24 lbs. dist. &

an Oak 48 " " " N 81 W 27 " "

This mile broken 3. rate, timber Oak, Beech
& Poplar; Upr. Spice &

East in Random between Sec. 21 & 28

40.00 set temp. g/sec. port -

70.00 a Stream 310 lbs. wide course S

T. 10 N., R. 5 E. 2. Mer. Indiana

80.00 Intersect N & S. line 125 lbs. N. of port -
 This mile level 3^d rate, timber Beech, Oak,
 Ash & Upr. Spruce

West Connected between Sec. 21 & 28

40.30 set g^d sec. post at aver. dist. from which
 a Beech 20 in. dia bears N 5 E 5 lbs. dist. 8
 a Sugar 14 " " " S 1 E 30 " "
 43.94 a Beech 20 " "
 80.00 to sec. cor.

North between Sec. 20 & 21

17.00 a Stream 15 lbs. wide course NE
 34.00 an Oak 20 in. dia.
 40.00 set g^d sec. post from which
 a W. Oak 20 in. dia bears N 82 E 21 lbs. dist. 8
 a Beech 18 " " " S 82 W 31 " "
 66.39 a Walnut 24 " "
 80.00 set post cor. of Sec. 16, 17, 20 & 21 from which
 a Beech 15 in. dia bears N 54 E 33 lbs. dist. 8
 a Do 9 " " " N 84 W 13 " "
 This mile 3^d rate, timber Oak, Ash, Beech
 & Upr. Ash, Water Beech &

East in Random between Sec. 16 & 21

40.00 set temp. g^d sec. post
 68.00 a Stream 304 lbs. wide course S
 80.66 Intersect N & S. line at port -
 This mile some hilly 2^d rate, timber Ash, Beech,
 & Oak, Upr. Spruce

West Connected between Sec. 16 & 21

3.96 a Hickory 18 in. dia.

T. 10 N., R. 5 E. 2^d. Mer. Indiana

40.33 set g. sec. post at aver. dist. from which
 a Beech 6 in. diam bears S 57° W 17 lbs. dist. 8
 an Elm 4 " " " N 52° W 31 " "
 80.66 to sec. cor.

North between Sec. 16 & 17

21.30 an Ash 20 in. dia.

40.00 set g. sec. post from which
 a Beech 30 in. diam bears S 53° E 25 lbs. dist. 8
 a Do 18 " " " S 68° W 17 " "

72.70 a Walnut 36 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which
 a Beech 15 in. diam bears S 86° E 39 lbs. dist. 8
 a Do 24 " " " S 58° W 23 " "

This mile rich level, timber Beech, Ash &
 Poplar; Upr. Spice &c.

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. post

74.50 a Stream 250 lbs. wide course S

81.00 Intersect N. G. line 67 lbs. S. of post -

This mile level & rate, timber Ash, Walnut
 & Hackberry; Upr. Spice &c.

West Corrected between Sec. 9 & 16

4.00 a Bur Oak 20 in. dia.

40.50 set g. sec. post at aver. dist. from which
 a Buckeye 15 in. diam bears N 77° W 9 lbs. dist. 8
 a Hickory 10 " " " S 10° W 20 " "

42.75 a Do 20 " "

81.00 to sec. cor.

North between Sec. 8 & 9

T. 10 N., R. 5 E. 2. Mer. Indiana

- 40.00 set of sec. port from which
 a Coffeenut 14 in. dia. bears S 33 W 17 lbs. dist. 8
 a Hickory 9 " " " N 63 E 38 " "
 58.34 Hackberry 20 " "
 80.00 set port cor. of sec. 4, 5, 8 & 9 from which
 a Beech 8 in. dia. bears N 86 E 15 lbs. dist. 8
 an Ash 14 " " " N 47 W 16 " "
 This mile overflowed land & rich, timber
 Ash, Walnut, Buckeye & Upr. Spice
-

East on Random between Sec. 4 & 9

- 15.50 a Stream 300 lbs. wide course SE
 40.00 set temp. g. sec. port
 80.50 Entered N. & S. line 34 lbs. S. of port -
 Land 1 $\frac{1}{2}$ mile 3rd rate - last $\frac{1}{2}$ mile 2nd rate -
 timber Ash, Elm, Walnut & Hickory &
 Upr. Spice
-

West Corrected between Sec. 4 & 9

- 7.23 an Ash 10 in. dia.
 40.25 set of sec. port at aver. dist. from which
 a Buckeye 12 in. dia. bears N 87 E 15 lbs. dist. 8
 a Hickory 20 " " " N 29 E 20 " "
 42.59 a Sycamore 48 " "
 80.50 to sec. cor.
-

North between Sec. 4 & 5

- 36.00 an Ash 30 in. dia.
 40.00 set the g. sec. port from which
 a Hackberry 4 in. dia. bears S 75 E 14 lbs. dist. 8
 an Ash 12 " " " N 80 W 11 " "
 44.00 a Sugar 18 " "
 69.00 a Stream 230 lbs. wide course SE

T. 10 N., R. 5 E. S. Mer. Indiana

80.74 Intersect N. Boundary 350 Yds. W. of port —
 set port at intersection cor. of sec. 4 & 5 from which
 a Buckeye 4 in. dia. bears S 15° W 13 Yds. dist. 8
 a Mulberry 6 " " " N 21° W 19 " "
 This mile overflowed land, 2^d rate, timbered Ash,
 Walnut, Buckeye & Spice Upr.

North between Sec. 31 & 32

15.40 a Sugar 15 in. dia.
 40.00 set of sec. port from which
 a Sugar 10 in. dia. bears S 45° E 24 Yds. dist. 8
 a Spr 10 " " " S 45° W 27 " "
 71.73 a Beech 14 " "
 80.00 set port cor. of sec. 29, 30, 31 & 32 from which
 an Ash 10 in. dia. bears N 63° E 25 Yds. dist. 8
 a Hickory 14 " " " S 31° W 25 " "
 Land hilly 3^d rate, Beech, Oak, Poplar; Upr.
 Dogwood, Sassafras &c.

East on Random between Sec. 29 & 32

46.00 set temp. of sec. port
 80.75 Intersect N. & S. line 150 Yds. E. of port —
 Land broken 3^d rate, timbered Beech, Oak, Poplar,
 Upr. Dogwood, Spice &c.

West Connected between Sec. 29 & 32

10.00 a Poplar 36 in. dia.
 40.37 set of sec. port at aver. dist. from which
 a Beech 15 in. dia. bears N 2° W 12 Yds. dist. 8
 a Sassafras 5 " " " S 40° W 14 " "
 47.55 a Beech 16 " "
 80.75 to sec. cor.

T. 10 N., R. 5 E. 2^d Mer. Indiana

West between Sec. 30 & 31

9.25 a Beech 14 in. dia.

40.00 Set g'sec. post from which

a Beech 24 in. dia bears S 41° W 6 lbs. dist. 8

a Do 20 " " " North 19 " "

50.00 a Brook 5 lbs. wide

50.54 a Beech 10 in. dia.

78.12 Intersect W. Boundary 66 lbs. N. of post—

set post at intersection cor. of sec. 30 & 31 from which

an Ironwood 6 in. dia bears N 53° E 17 lbs. dist. 8

a Sapaprap 6 " " " S 87° W 17 " "

Land hilly 3^d rate, timber Beech, Oak, Poplar;
Upr. Spice, Sapaprap &c.

North between Sec. 29 & 30

16.08 a Hickory 10 in. dia.

40.00 Set g'sec. post from which

a Beech 12 in. dia bears S 34° W 43 lbs. dist. 8

an Ash 16 " " " N 12° W 27 " "

49.50 a Stream 20 lbs. wide course S 60

50.05 a W. Oak 24 in. dia.

80.00 Set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 8 in. dia bears N 51° E 11 lbs. dist. 8

a Do 6 " " " S 69° W 36 " "

Land broken 3^d rate, timber Oak, Beech, Hickory,
Upr. Spice &c.

West between Sec. 19 & 30

15.86 a W. Oak 20 in. dia.

40.00 Set g'sec. post from which

a W. Oak 12 in. dia bears N 37° E 12 lbs. dist. 8

an Ash 12 " " " S 69° W 37 " "

48.50 a Brook 10 lbs. wide course S

T. 10 N., R. 5 E. 2. Mer. Indiana

51.93 a Beech 10 in. dia.

77.40 Intersect W. Boundary 52 lbs. N. of post -

set post at intersection cor. of sec. 19 & 30 from which
a Beech 10 in. dia. bears N 19 W 22 lbs. dist. 8

a Do 10 " " " N 9 W 17 " "

Land level 3. rate, timber Beech, Oak, Hickory
Upr. Sapapapp, Dogwood &c.

East in Random between Sec. 20 & 29

40.00 set temp. g. sec. post

60.77 a Stream 40 lbs. wide course S W

81.66 Intersect N & S line 4 lbs. S. of post -

Land level 3. rate, Beech, Oak, Hickory, Gum
Upr. Waterbark &c.

West Connected between Sec. 20 & 29

4.54 a B. Oak 30 in. dia.

40.83 set g. sec. post at aver. dist. from which

a Spanish Oak 18 in. dia. bears S 33 W 17 lbs. dist. 8

a W. Oak 10 " " " N 61 E 20 " "

81.66 to sec. cor. September 8. 1819

North between Sec. 19 & 20

13.80 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 5 in. dia. bears N 71 W 8 lbs. dist. 8

a Do 12 " " " N 11 E 8 " "

60.26 a W. Oak 30 " "

63.00 a Brook 10 lbs. wide course N E

77.35 a Stream 30 " " " E

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a Maple 18 in. dia. bears S 76 E 28 lbs. dist. 8

a Beech 5 " " " N 63 W 17 " "

T. 10 N., R. 5 E. 2. Mer. Indiana

Land hilly 3^d rate, timber Beech, Oak, Hickory,
Upr. Spice, Water Beech &c.

East on Random between Sec. 17 & 20

9.16 a Stream 20 lbs. wide course NE

40.00 set temp. g. sec. post

81.00 Intersect N. & S. line 28 lbs. N. of post—

Land broken 3^d rate, timber Beech, Oak, Sugar;
Upr. Spice

West Corrected between Sec. 17 & 20

4.65 a Beech 18 in. dia.

40.50 set g. sec. post at aver. dist. from which

a Beech 6 in. dia. bears N 56 E 11 lbs. dist. 8,

a W. Oak 30 " " " S 75 W 13 " "

42.72 a Do 22 " "

81.00 to sec. cor.

West between Sec. 18 & 19

25.75 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Poplar 7 in. dia. bears S 30 E 3 lbs. dist. 8,

a Do 8 " " " S 69 W 11 " "

45.80 a Stream 10 lbs. wide course SE

49.46 a R. Oak 30 in. dia.

76.24 Intersect W. Boundary 75 lbs. S. of post—

set post at intersection cor. of sec. 18 & 19 from which

a Hickory 10 in. dia. bears N 51 E 17 lbs. dist. 8,

a Do 20 " " " S 29 W 4 " "

Land hilly 3^d rate, timber Ash, Beech, Hickory,
Poplar, Spice & Dogwood Upr.

North between Sec. 17 & 18

T. 10 N., R. 5 E. 2. Mer. Indiana

13.15 a Poplar 60 in. dia.

40.00 set g. sec. port from which

a Logwood 4 in. dia. bears S 63 E 6 lbs. dist. 8

an Ironwood 4 " " " N 60 W 6 " "

56.26 a Beech 11 " "

56.38 a Stream 10 lbs. wide course N

75.50 a Do 50 " " " E

80.00 set port cor. of Sect. 7, 8, 17 & 18 from which

a Sugar 6 in. dia. bears N 24 E 19 lbs. dist. 8

a Mulberry 12 " " " S 12 W 28 " "

Land hilly 3rd rate, timber Poplar, Oak, Beech,
Spice, Water Beech &c.

East on Random between Sect. 8 & 17

11.00 a Stream 50 lbs. wide course NE

40.00 set temp. g. sec. port

79.40 Intersect N & S. line 100 lbs. N. of port -

Land hilly 3rd rate, timber Beech, Oak, Sugar,
Upr. Spice &c.

West Connected between Sect. 8 & 17

4.61 a Beech 12 in. dia.

39.70 set g. sec. port at aver. dist. from which

a Poplar 18 in. dia. bears N 69 E 36 lbs. dist. 8

a W. Oak 16 " " " S 33 W 22 " "

43.10 a Hickory 24 " "

79.40 to sec. cor.

West between Sect. 7 & 18

8.20 a Stream 40 lbs. wide course SE

18.40 a Sugar 18 in. dia.

22.00 a Stream 40 lbs. wide course S

40.00 set g. sec. port from which

T. 10 N., R. 5 E. 2. Mer. Indiana

- a Beech 7 in. dia. bears S 78 E 24 lbs. dist. 18
 a Do 30 " " " S 76 W 21 " "
 42.50 a Stream 40 lbs. wide course N
 45.20 a Do 40 " " " S E
 58.25 a Do 60 " " " S E
 63.00 a W. Oak 10 in. dia.
 77.25 Intersect W. Boundary 150 lbs. N. of port -
 set port at intersection cor. of Sec. 7 & 18 from which
 a Beech 8 in. dia. bears S 66 W 10 lbs. dist. 18
 a Hickory 14 " " " N 26 E 24 " "
 Land hilly 3^d rate, timber Beech, Oak, Ash &c.
 Wyr. Spice
-

North between Sec. 7 & 8

- 26.50 a Red Oak 30 in. dia.
 40.00 set g. sec. port from which
 a Beech 12 in. dia. bears N 29 W 25 lbs. dist. 18
 a Do 12 " " " S 17 W 13 " "
 58.50 a Stream 15 lbs. wide course E
 66.77 a Red Oak 24 in. dia.
 80.00 set port cor. of Sec. 5, 6, 7 & 8 from which
 a Beech 4 in. dia. bears N 67 E 15 lbs. dist. 18
 a Sugar 30 " " " S 55 W 14 " "
 Land 1st 1/2 mile hilly 3^d rate - 2nd 1/2 mile level
 2^d rate, timber Beech, Oak, Sugar, Poplar;
 Wyr. Spice &c.
-

East on Random between Sec. 5 & 8

- 40.00 set temp. g. sec. port
 80.42 Intersect N & S line 70 lbs. N. of port -
 Same land 2^d rate, timber Beech, Sugar, Ash,
 Oak; Wyr. Spice, Water Beech &c.
-

Comp

T. 10 N., R. 5 E. 2.^d Mer. Indiana

West Cornered between Sec. 5 & 8

7.07 a W. Oak 28 in. dia.

46.21 set g. sec. post at aver. dist. from which
 a Br. Oak 6 in. dia. bears N 65° W 23 lbs. dist. 8
 an Ash 8 " " " S 48° E 14 " "

44.04 a Lym 10 " "

80.42 to sec. cor.

West between Sec. 6 & 7

18.00 a Beech 12 in. dia.

22.40 a Stream 25 lbs. wide course S E

40.00 set g. sec. post from which
 a Beech 5 in. dia. bears N 69° W 3 lbs. dist. 18
 a Do 18 " " " S 9° E 27 " "

60.00 an Ash 36 " "

76.45 Intersect N. Boundary 142 lbs. N. of post—
 set post at intersection cor. of sec. 6 & 7 from which
 a Br. Oak 30 in. dia. bears N 3° W 6 lbs. dist. 18
 an Elm 12 " " " S 35° W 17 " "
 Sand level 2^d rate, Beech, Ash, Poplar &
 Upr. Spice &

North between Sec. 5 & 6

13.50 a Hickory 30 in. dia.

40.00 set g. sec. post from which
 a Beech 18 in. dia. bears S 13° W 15 lbs. dist. 18
 a Do 15 " " " N 18° W 4 " "

58.62 a Poplar 40 " "

81.45 Intersect N. Boundary 270 lbs. N. of post—
 set post at intersection cor. of sec. 5 & 6 from which
 a Beech 18 in. dia. bears N 38° W 20 lbs. dist. 18
 a W. Oak 24 " " " S 71° E 10 " "
 Sand level 2^d rate, timber Poplar, Beech,

T. 10 N., R. 5 E. 2^d Mer. Indiana

Ash, Upr. Spruce &c. September 10. 1819
Surveyed by Abraham Lee
Dep. Surveyor

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 10
North, in Range N. 5 East of the 2^d Principal
Meridian, in the State of Indiana, has been
compared with the original on file in this
office, and found to be correct.

Surveyor General's Office,
Cincinnati, March 2, 1842

J. D. Rains
Sur. Genl.